

OSHKOSH TOOLS

Manufactured by

LEACH COMPANY

OSHKOSH, WISCONSIN

Resale Prices

No. 37, May 10, 1937

ZONE A	ZONE B	ZONE C	ZONE D
Illinois Indiana Iowa Kentucky Michigan Minnesota Missouri Ohio Wisconsin W. Virginia	Arkansas Connecticut Delaware Kansas Maine Massachusetts Maryland Nebraska New Jersey	New Hampshire New York N. Dakota Pennsylvania Rhode Island S. Dakota Tennessee Vermont Virginia	Alabama California Georgia Idaho Louisiana Mississippi N. Carolina Nevada New Mexico Oregon Utah Washington

QUANTITY DEFINITION AND FREIGHT ALLOWANCES

"Standard Quantity" prices apply only when two (2) or more "Standard Quantities" of tools are purchased on one order, for one shipment, to one destination.

"Standard Quantity" consists of six (6) tools of one kind and size.

"Standard Quantities" of any kinds of tools may be assorted to obtain "Standard Quantity" prices.

All shipments are F. O. B. Oshkosh, Wisconsin; freight allowed to destination, when a shipment weighs 100 lbs. or more. When purchaser orders less than 100 lbs. or specifies that shipment is to move other than the cheapest way; for example, by express, thereby incurring additional transportation charges, such additional transportation charges are to be borne by the purchaser.

Terms: 2% 10 days, Net 30.

			ZONE A	ZONE B	ZONE C	ZONE D
Cat. No.	Size	Wt. Lbs. Ea.	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price
			Each	Each	Each	Each
121	2 1/4"x4	Peavy, Maple Hdl.... 7	\$3.96	\$3.60	\$4.00	\$3.69
122	4 1/2	Peavy, Maple Hdl.... 7	4.01	3.65	4.06	3.75
124	2 1/2"x4	Peavy, Maple Hdl.... 9	4.12	3.75	4.16	3.79
125	4 1/2	Peavy, Maple Hdl.... 9	4.31	3.92	4.35	3.96
134	2 1/4"x4	Peavy, Hickory Hdl. 8	4.54	4.13	4.58	4.17
135	4 1/2	Peavy, Hickory Hdl. 8	4.87	4.43	4.91	4.47
137	2 1/2"x4	Peavy, Hickory Hdl. 9	4.71	4.29	4.75	4.33
138	4 1/2	Peavy, Hickory Hdl. 10	5.23	4.76	5.27	4.80
188A	2 1/4"x4	Mall Cant Hks Maple.. 7	3.10	2.82	3.13	2.85
189A	4 1/2	Mall Cant Hks Maple.. 8	3.23	2.93	3.32	3.02
188	2 1/2"x4	Mall Cant Hks Maple.. 8	3.20	2.91	3.23	2.94
189	4 1/2	Mall Cant Hks Maple.. 8	3.36	3.06	3.40	3.10
199A	2 1/4"x4	Mall Cant Hks Hickory 7	3.60	3.23	3.64	3.31
200A	4 1/2	Mall Cant Hks Hickory 8	3.70	3.36	3.74	3.40
199	2 1/2"x4	Mall Cant Hks Hickory 8	3.87	3.52	3.90	3.55
200	4 1/2	Mall Cant Hks Hickory 9	4.12	3.75	4.16	3.79
295	2 1/2"x4	Lug Hooks..... 7	3.66	3.33	3.70	3.37
296	4 1/2	Lug Hooks..... 8	3.76	3.42	3.80	3.46
297	5	Lug Hooks..... 8	3.84	3.50	3.88	3.54
298	3	Lug Hooks..... 12	6.37	5.80	6.43	5.86
299	6	Lug Hooks..... 13	6.55	5.96	6.61	6.02
300	7	Lug Hooks..... 14	6.95	6.33	7.03	6.41
10	Pike Pole Guard only (Not attached to Pike Pole) 7 oz.		1.50		1.50	
	If ordered attached to pike pole.		.70		.70	
F	Pike Poles Finish		2c per lineal foot		2c per lineal foot	

QUANTITY DEFINITION AND FREIGHT ALLOWANCES










"Standard Quantity" prices apply only when two (2) or more "Standard Quantities" of tools are purchased on one order, for one shipment, to one destination.

"Standard Quantity" consists of six (6) tools of one kind and size.

"Standard Quantities" of any kinds of tools may be assorted to obtain "Standard Quantity" prices.

All shipments are F. O. B. Oshkosh, Wisconsin; freight allowed to destination, when a shipment weighs 100 lbs. or more. When purchaser orders less than 100 lbs. or specifies that shipment is to move other than the cheapest way; for example, by express, thereby incurring additional transportation charges, such additional transportation charges are to be borne by the purchaser.

Terms: 2% 10 days, Net 30.

Cat. No.	Size	Wt. Lbs. Ea.	ZONE A		ZONE B		ZONE C		ZONE D	
			Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price
			Each	Each	Each	Each	Each	Each	Each	Each
			Furnished		as standard		on all		pike poles	
										
805	2 "x10' Fir Pike Poles.....	6	\$3.08	\$2.80	\$3.11	\$2.83	\$3.16	\$2.88	\$3.32	\$3.02
806	12' Fir Pike Poles.....	8	3.37	3.07	3.41	3.11	3.47	3.17	3.62	3.32
807	14' Fir Pike Poles.....	10	3.78	3.44	3.84	3.50	3.91	3.57	4.09	3.75
808	16' Fir Pike Poles.....	11	4.89	4.45	4.95	4.51	5.03	4.59	5.25	4.81
817	2 1/2 "x10' Fir Pike Poles.....	12	3.96	3.60	4.02	3.66	4.11	3.74	4.21	3.83
818	12' Fir Pike Poles.....	13	4.17	3.80	4.23	3.86	4.31	3.94	4.50	4.13
819	14' Fir Pike Poles.....	14	5.21	4.75	5.27	4.81	5.36	4.90	5.59	5.13
820	16' Fir Pike Poles.....	15	6.02	5.48	6.10	5.56	6.20	5.66	6.46	5.92
821	18' Fir Pike Poles.....	18	7.05	6.42	7.13	6.50	7.25	6.62	7.54	6.91
822	20' Fir Pike Poles.....	20	7.85	7.15	7.95	7.25	8.08	7.38	8.40	7.70
										
832	2 "x10' Raising Forks.....	10	4.62	4.21	4.66	4.25	4.72	4.31	4.87	4.46
833	12' Raising Forks.....	12	5.10	4.65	5.16	4.71	5.23	4.78	5.41	4.96
834	14' Raising Forks.....	13	5.83	5.31	5.89	5.37	5.97	5.45	6.19	5.67
795	16' Raising Forks.....	15	6.73	6.12	6.82	6.20	6.93	6.30	7.20	6.55
796	2 1/2 "x12' Raising Forks.....	13	6.93	6.30	7.00	6.36	7.07	6.43	7.27	6.61
797	14' Raising Forks.....	14	7.50	6.82	7.56	6.88	7.65	6.96	7.90	7.18
835	16' Raising Forks.....	15	8.06	7.34	8.14	7.42	8.25	7.53	8.53	7.81
836	18' Raising Forks.....	16	8.48	7.72	8.56	7.80	8.69	7.93	9.00	8.24
837	20' Raising Forks.....	18	8.80	8.01	8.90	8.11	9.03	8.24	9.38	8.59
										
842	6' Wood Jenney	25	11.40		11.64		11.98		12.83	
843	7' Wood Jenney	30	13.01		13.27		13.64		14.57	
844	8' Wood Jenney	35	14.05		14.33		14.74		15.75	
										
845	6' Wooden Mule Pole Support..	23	11.71		11.89		12.13		12.75	
846	7' Wooden Mule Pole Support..	26	12.89		13.09		13.36		14.04	
847	8' Wooden Mule Pole Support..	29	14.27		14.49		14.78		15.53	
										
740	8' W U Deadman, Fir	40	12.90		13.10		13.35		14.00	
										
848	8' Maple Deadman	29	15.80		15.94		16.13		16.62	
										
915	Tree Trimmer (No rope)	13	8.70	7.90	8.75	7.96	8.85	8.05	9.10	8.26
915B	Extra blade for 915 tree trimmer		2.35		2.40		2.45		2.50	
915S	Extra spring for 915 tree trimmer	2 oz.	.40		.43		.45		.48	
915R	Rope (20' with connector)	1/4 lb.	1.20		1.25		1.30		1.40	
915EM	Extra 7' middle extension for 915 tree trimmer	4 lbs.	2.45		2.47		2.50		2.56	
915EE	Extra 7' end extension for 915 tree trimmer	4 lbs.	1.60		1.62		1.65		1.71	
										
916	Tree Saw with 6' Handle for attaching to extensions of 915 tree trimmer	5 lbs.	7.20	6.54	7.20	6.56	7.25	6.59	7.35	6.68
916B	Extra blade for 916 tree saw	1/4 lb.	1.60		1.65		1.68		1.75	
916T	Extra tightener for 916 tree saw	1/4 lb.	1.25		1.30		1.35		1.40	

QUANTITY DEFINITION AND FREIGHT ALLOWANCES












"Standard Quantity" prices apply only when two (2) or more "Standard Quantities" of tools are purchased on one order, for one shipment, to one destination.

"Standard Quantity" consists of six (6) tools of one kind and size.

"Standard Quantities" of any kinds of tools may be assorted to obtain "Standard Quantity" prices.

All shipments are F. O. B. Oshkosh, Wisconsin; freight allowed to destination, when a shipment weighs 100 lbs. or more. When purchaser orders less than 100 lbs. or specifies that shipment is to move other than the cheapest way; for example, by express, thereby incurring additional transportation charges, such additional transportation charges are to be borne by the purchaser.

Terms: 2% 10 days, Net 30.

					ZONE A		ZONE B		ZONE C		ZONE D	
					Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price
					Each	Each	Each	Each	Each	Each	Each	Each
	Cat. No.	Size		Wt. Lbs. Ea.								
	854	7'	Light Shoe Tamping Bar	13	\$4.12	\$3.75	\$4.16	\$3.79	\$4.23	\$3.86	\$4.39	\$4.02
	855	8'	Light Shoe Tamping Bar	14	4.70	4.28	4.76	4.34	4.83	4.41	5.01	4.59
	856	9'	Light Shoe Tamping Bar	16	5.20	4.72	5.27	4.79	5.38	4.89	5.67	5.16
	1054	7'	Heavy Shoe Tamping Bar	13	4.48	4.08	4.54	4.14	4.61	4.21	4.79	4.39
	1055	8'	Heavy Shoe Tamping Bar	15	5.01	4.56	5.07	4.62	5.15	4.70	5.34	4.89
	1056	9'	Heavy Shoe Tamping Bar	15	5.64	5.13	5.72	5.20	5.83	5.30	6.10	5.54
	1044		Electric Tamping Bar	15	4.56	4.15	4.62	4.21	4.71	4.30	4.86	4.45
	853		Loy or Slick	18	8.27	7.53	8.35	7.61	8.46	7.72	8.74	8.00
	1061	1	"x7' Crow and Digging Bar	20	5.23		5.29		5.39		5.56	
	1062	8'	Crow and Digging Bar	23	5.48		5.55		5.63		5.89	
	1064	1 1/8"	"x7' Crow and Digging Bar	26	5.69		5.76		5.89		6.10	
	1065	8'	Crow and Digging Bar	28	6.48		6.56		6.71		6.94	
	1066	9'	Crow and Digging Bar	31	7.45		7.55		7.71		7.97	
	1071	1	"x7' Tamping and Digging Bars	20	5.45		5.51		5.61		5.78	
	1072	8'	Tamping and Digging Bars	23	5.76		5.83		5.96		6.17	
	1074	1 1/8"	"x7' Tamping and Digging Bars	26	6.05		6.12		6.25		6.46	
	1075	8'	Tamping and Digging Bars	30	6.99		7.08		7.23		7.48	
	1081	1	"x7' Plain Digging Bars	19	4.74		4.80		4.90		5.05	
	1082	8'	Plain Digging Bars	21	5.44		5.50		5.61		5.79	
	1084	1 1/8"	"x7' Plain Digging Bars	24	5.46		5.53		5.66		5.86	
	1085	8'	Plain Digging Bars	28	6.35		6.44		6.59		6.84	
	852		Digging Spuds	20	6.12	5.57	6.18	5.63	6.29	5.74	6.46	5.91
	867	7'	Shovel Maple Hdle Str.	8	3.44	3.13	3.49	3.18	3.55	3.24	3.70	3.39
	868	8'	Shovel Maple Hdle Str.	9	3.94	3.59	4.00	3.64	4.07	3.71	4.23	3.87
	869	9'	Shovel Maple Hdle Str.	10	4.37	3.98	4.42	4.03	4.48	4.10	4.65	4.27
	870	10'	Shovel Maple Hdle Str.	11	4.81	4.38	4.86	4.43	4.94	4.51	5.12	4.69
	1032	7'	Shovel Ash Hdle Str.	8	3.57	3.26	3.62	3.31	3.68	3.37	3.83	3.52
	1033	8'	Shovel Ash Hdle Str.	9	4.02	3.62	4.07	3.67	4.14	3.74	4.30	3.90
	1034	9'	Shovel Ash Hdle Str.	10	4.51	4.11	4.56	4.16	4.63	4.23	4.80	4.40
	1035	10'	Shovel Ash Hdle Str.	11	5.03	4.58	5.08	4.63	5.16	4.71	5.34	4.89
	2032	7'	Master Shovel Ash Hdle Str.	8 lbs.	4.08	3.71	4.13	3.76	4.20	3.82	4.36	3.97
	2033	8'	Master Shovel Ash Hdle Str.	9 lbs.	4.58	4.17	4.64	4.22	4.71	4.29	4.89	4.45
	2034	9'	Master Shovel Ash Hdle Str.	10 lbs.	5.17	4.70	5.22	4.75	5.30	4.82	5.48	4.99
	2035	10'	Master Shovel Ash Hdle Str.	11 lbs.	5.75	5.23	5.80	5.28	5.89	5.36	6.09	5.54
	874	7'	Shovel Maple Hdle Cr.	8	3.44	3.13	3.49	3.18	3.55	3.24	3.70	3.39
	875	8'	Shovel Maple Hdle Cr.	9	3.94	3.59	4.00	3.64	4.07	3.71	4.23	3.87
	1040	7'	Shovel Ash Hdle Cr.	8	3.57	3.26	3.62	3.31	3.68	3.37	3.83	3.52
	1041	8'	Shovel Ash Hdle Cr.	9	4.02	3.62	4.07	3.67	4.14	3.74	4.30	3.90
	1042	9'	Shovel Ash Hdle Cr.	10	4.51	4.11	4.56	4.16	4.63	4.23	4.80	4.40
	1043	10'	Shovel Ash Hdle Cr.	11	5.03	4.58	5.08	4.63	5.16	4.71	5.34	4.89
	2040	7'	Master Shovel Ash Hdle Cr.	8	4.08	3.71	4.13	3.76	4.20	3.82	4.36	3.97
	2041	8'	Master Shovel Ash Hdle Cr.	9	4.58	4.17	4.64	4.22	4.71	4.29	4.89	4.45
	2042	9'	Master Shovel Ash Hdle Cr.	10	5.17	4.70	5.22	4.75	5.30	4.82	5.48	4.99
	2043	10'	Master Shovel Ash Hdle Cr.	11	5.75	5.23	5.80	5.28	5.89	5.36	6.09	5.54

We can furnish hickory handled shovels and spoons and extra handles at the same price as the ash. When ordering add the letter H to the ash handle number.

NOTE

NOTE

QUANTITY DEFINITION AND FREIGHT ALLOWANCES

"Standard Quantity" prices apply only when two (2) or more "Standard Quantities" of tools are purchased on one order, for one shipment, to one destination.










"Standard Quantity" consists of six (6) tools of one kind and size.

"Standard Quantities" of any kinds of tools may be assorted to obtain "Standard Quantity" prices.

All shipments are F. O. B. Oshkosh, Wisconsin; freight allowed to destination, when a shipment weighs 100 lbs. or more. When purchaser orders less than 100 lbs. or specifies that shipment is to move other than the cheapest way; for example, by express, thereby incurring additional transportation charges, such additional transportation charges are to be borne by the purchaser.

Terms: 2% 10 days, Net 30.

We can furnish hickory handled shovels and spoons and extra handles at the same price as the ash handles at the same price as the ash. When ordering add the letter H to the ash handle number.

			ZONE A		ZONE B		ZONE C		ZONE D	
			Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price
			Each	Each	Each	Each	Each	Each	Each	Each
	Cat. No.	Size	W	P	Maple	Spoon	Wt. Lbs. Ea.		
	859	7'						10	\$3.44	\$3.13
	860	8'						10	3.94	3.59
	861	9'						11	4.37	3.98
	862	10'						12	4.81	4.38
	1023	7'						10	3.57	3.26
	1024	8'						10	4.02	3.62
	1025	9'						11	4.51	4.11
	1026	10'						12	5.03	4.58
	1027	12'						14	6.04	5.50
NOTE										
	2023	7'						10	4.08	3.71
	2024	8'						10	4.58	4.17
	2025	9'						11	5.17	4.70
	2026	10'						12	5.75	5.23
	2027	12'						14	6.94	6.31
NOTE										
	859E	7'						10	3.44	3.13
	860E	8'						10	3.94	3.59
	861E	9'						11	4.37	3.98
	862E	10'						12	4.81	4.38
	1023E	7'						10	3.57	3.26
	1024E	8'						10	4.02	3.62
	1025E	9'						11	4.51	4.11
	1026E	10'						12	5.03	4.58
	1027E	12'						14	6.04	5.50
NOTE										
	2023E	7'						10	4.08	3.71
	2024E	8'						10	4.58	4.17
	2025E	9'						11	5.17	4.70
	2026E	10'						12	5.75	5.23
	2027E	12'						14	6.94	6.31
NOTE										
	1090R	4 1/2'						5	1.94	1.77
	1090S	4 1/2'						5	1.94	1.77
	2090R	4 1/2'						5	2.23	2.03
	2090S	4 1/2'						5	2.23	2.03
	1092R	Rd. Pt. — D						4	1.94	1.77
	1092S	Sq. Pt. — D						4	1.94	1.77

QUANTITY DEFINITION AND FREIGHT ALLOWANCES

"Standard Quantity" prices apply only when two (2) or more "Standard Quantities" of tools are purchased on one order, for one shipment, to one destination.











"Standard Quantity" consists of six (6) tools of one kind and size.

"Standard Quantities" of any kinds of tools may be assorted to obtain "Standard Quantity" prices.

All shipments are F. O. B. Oshkosh, Wisconsin; freight allowed to destination, when a shipment weighs 100 lbs. or more. When purchaser orders less than 100 lbs. or specifies that shipment is to move other than the cheapest way; for example, by express, thereby incurring additional transportation charges, such additional transportation charges are to be borne by the purchaser.

Terms: 2% 10 days, Net 30.

We can furnish hickory handled shovels and spoons and extra handles at the same price as the ash. When ordering add the letter H to the ash handle number.

					ZONE A		ZONE B		ZONE C		ZONE D	
					Less than	Quantity	Less than	Quantity	Less than	Quantity	Less than	Quantity
					Price	Price	Price	Price	Price	Price	Price	Price
					Each	Each	Each	Each	Each	Each	Each	Each
												
	Cat. No.	Size		Wt. Lbs. Ea.								
	2092R	Rd. Pt. — D Handled Shovel	4	\$2.23	\$2.03	\$2.25	\$2.05	\$2.23	\$2.03	\$2.33	\$2.17
	2092S	Sq. Pt. — D Handled Shovel	4	2.23	2.03	2.25	2.05	2.23	2.03	2.33	2.17
												
	541	2 1/4" x 4'	Map Cant Hook Hdles...	3	1.22	1.11	1.23	1.12	1.26	1.15	1.32	1.20
	542	4 1/2'	Map Cant Hook Hdles...	3	1.30	1.18	1.31	1.19	1.34	1.22	1.39	1.27
	544	2 1/4" x 4'	Map Cant Hook Hdles...	3	1.30	1.18	1.31	1.19	1.34	1.22	1.39	1.27
	545	4 1/2'	Map Cant Hook Hdles...	4	1.38	1.26	1.40	1.28	1.43	1.31	1.49	1.37
	572	2 1/4" x 4'	Hickory C H Hdles....	3	1.38	1.26	1.40	1.28	1.43	1.31	1.49	1.37
	573	4 1/2'	Hickory C H Hdles....	3	1.47	1.34	1.49	1.36	1.53	1.39	1.60	1.45
	575	2 1/2" x 4'	Hickory C H Hdles....	4	1.55	1.41	1.56	1.42	1.59	1.45	1.64	1.50
	576	4 1/2'	Hickory C H Hdles....	4	1.72	1.57	1.74	1.59	1.77	1.62	1.83	1.68
												
	593	2 1/2" x 4'	Lug Hook Hdles.....	3	1.20	1.09	1.22	1.11	1.24	1.13	1.29	1.13
	594	4 1/2'	Lug Hook Hdles.....	4	1.28	1.17	1.30	1.19	1.33	1.22	1.39	1.28
	595	5'	Lug Hook Hdles.....	4	1.46	1.33	1.48	1.35	1.51	1.38	1.60	1.47
	963	3' x 5'	Lug Hook Hdles.....	5	2.80	2.55	2.82	2.57	2.86	2.61	2.96	2.71
	964	6'	Lug Hook Hdles.....	6	3.36	3.06	3.40	3.10	3.45	3.15	3.58	3.28
	965	7'	Lug Hook Hdles.....	7	4.24	3.86	4.28	3.90	4.35	3.97	4.51	4.13
												
	970	2' x 10'	Fir Pike Pole Hdles.....	6	2.36	2.15	2.40	2.19	2.46	2.24	2.60	2.37
	971	12'	Fir Pike Pole Hdles.....	7	2.60	2.37	2.64	2.41	2.69	2.46	2.82	2.59
	972	14'	Fir Pike Pole Hdles.....	9	2.95	2.69	2.99	2.73	3.06	2.80	3.22	2.96
	973	16'	Fir Pike Pole Hdles.....	11	4.06	3.70	4.12	3.76	4.20	3.84	4.39	4.03
	982	2 1/2" x 12'	Fir Pike Pole Hdles.....	12	4.14	3.77	4.20	3.83	4.27	3.90	4.45	4.08
	983	14'	Fir Pike Pole Hdles.....	13	4.59	4.18	4.65	4.24	4.73	4.32	4.95	4.54
	984	16'	Fir Pike Pole Hdles.....	14	5.03	4.58	5.09	4.64	5.19	4.74	5.44	4.99
	985	18'	Fir Pike Pole Hdles.....	16	5.80	5.28	5.88	5.36	5.99	5.47	6.27	5.75
	986	20'	Fir Pike Pole Hdles.....	19	6.41	5.84	6.49	5.92	6.62	6.05	6.93	6.36
												
	1002	7'	Light Shoe Tamping Bar Hdles..	7	3.26	2.97	3.30	3.01	3.34	3.05	3.46	3.17
	1003	8'	Light Shoe Tamping Bar Hdles..	8	4.03	3.67	4.07	3.71	4.12	3.76	4.25	3.89
	1003A	9'	Light Shoe Tamping Bar Hdles..	9	4.56	4.15	4.62	4.20	4.67	4.25	4.84	4.40
												
	2002	7'	Heavy Shoe Tamping Bar Hdles	5	2.67	2.43	2.69	2.45	2.73	2.49	2.83	2.59
	2003	8'	Heavy Shoe Tamping Bar Hdles	5	3.35	3.05	3.39	3.09	3.43	3.13	3.55	3.25
	2003A	9'	Heavy Shoe Tamping Bar Hdles	6	4.20	3.82	4.25	3.87	4.31	3.92	4.45	4.05
												
	1001	8'	Loy or Slick Handles	8	5.47	4.98	5.51	5.02	5.56	5.07	5.69	5.20
												
	993	7'	Maple Spoon and Shovel Hdles..	4	1.56	1.42	1.58	1.44	1.61	1.47	1.70	1.56
	994	8'	Maple Spoon and Shovel Hdles..	5	2.00	1.82	2.02	1.84	2.06	1.88	2.16	1.98
	995	9'	Maple Spoon and Shovel Hdles..	6	2.42	2.20	2.46	2.24	2.50	2.28	2.62	2.40
	996	10'	Maple Spoon and Shovel Hdles..	7	2.93	2.67	2.97	2.71	3.02	2.76	3.15	2.89
												
	1005	7'	Ash Spoon and Shovel Hdles....	6	1.81	1.65	1.83	1.67	1.86	1.70	1.95	1.79
	1006	8'	Ash Spoon and Shovel Hdles....	6	2.50	2.28	2.52	2.30	2.56	2.34	2.66	2.44
	1007	9'	Ash Spoon and Shovel Hdles....	7	3.44	3.13	3.48	3.17	3.52	3.21	3.64	3.33
	1008	10'	Ash Spoon and Shovel Hdles....	7	4.46	4.06	4.50	4.10	4.55	4.15	4.68	4.28
	1009	12'	Ash Spoon and Shovel Hdles....	8	5.65	5.15	5.70	5.19	5.76	5.25	5.91	5.40
												
	2005	7'	Ash Spoon and Shovel Handles..	6	1.81	1.65	1.83	1.67	1.86	1.70	1.95	1.79
	2006	8'	Ash Spoon and Shovel Handles..	6	2.50	2.28	2.52	2.30	2.56	2.34	2.66	2.44
	2007	9'	Ash Spoon and Shovel Handles..	7	3.44	3.13	3.48	3.17	3.52	3.21	3.64	3.33
	2008	10'	Ash Spoon and Shovel Handles..	7	4.46	4.06	4.50	4.10	4.55	4.15	4.68	4.28
	2009	12'	Ash Spoon and Shovel Handles..	8	5.65	5.15	5.70	5.19	5.76	5.25	5.91	5.40

NOTE

QUANTITY DEFINITION AND FREIGHT ALLOWANCES








"Standard Quantity" prices apply only when two (2) or more "Standard Quantities" of tools are purchased on one order, for one shipment, to one destination.

"Standard Quantity" consists of six (6) tools of one kind and size.


"Standard Quantities" of any kinds of tools may be assorted to obtain "Standard Quantity" prices.

All shipments are F. O. B. Oshkosh, Wisconsin; freight allowed to destination, when a shipment weighs 100 lbs. or more. When purchaser orders less than 100 lbs. or specifies that shipment is to move other than the cheapest way; for example, by express, thereby incurring additional transportation charges, such additional transportation charges are to be borne by the purchaser.

Terms: 2% 10 days, Net 30.

			ZONE A		ZONE B		ZONE C		ZONE D	
Cat. No.	Size	Wt. Lbs. Ea.	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price	Less than Quantity Price	Quantity Price
			Each	Each	Each	Each	Each	Each	Each	Each
										
1000B	7' Maple Shovel Hdles, Cr.....	4	\$2.75	\$2.50	\$2.77	\$2.52	\$2.80	\$2.55	\$2.90	\$2.64
1000	8' Maple Shovel Hdles, Cr.....	5	3.30	3.00	3.32	3.02	3.36	3.06	3.47	3.16
1014	7' Ash Shovel Handles, Cr.....	6	2.64	2.40	2.66	2.42	2.69	2.45	2.79	2.54
1015	8' Ash Shovel Handles, Cr.....	6	3.19	2.90	3.21	2.92	3.25	2.96	3.36	3.06
1016	9' Ash Shovel Handles, Cr.....	7	4.40	4.00	4.44	4.04	4.53	4.12	4.66	4.24
1017	10' Ash Shovel Handles, Cr.....	7	5.63	5.12	5.67	5.16	5.76	5.21	5.87	5.34
2014	7' Ash Shovel Handles, Cr.....	6	2.64	2.40	2.66	2.42	2.69	2.45	2.79	2.54
2015	8' Ash Shovel Handles, Cr.....	6	3.19	2.90	3.21	2.92	3.25	2.96	3.36	3.06
2016	9' Ash Shovel Handles, Cr.....	7	4.40	4.00	4.44	4.04	4.53	4.12	4.66	4.24
2017	10' Ash Shovel Handles, Cr.....	7	5.63	5.12	5.67	5.16	5.76	5.21	5.87	5.34
										
1091	4½' Shovel Handles—Ash	2	.60	.55	.61	.56	.62	.57	.65	.60
2091	4½' Shovel Handles—Ash	2	.60	.55	.61	.56	.62	.57	.65	.60
										
1093	D Handle—Ash	2	.60	.55	.61	.56	.62	.57	.65	.60
2093	D Handle—Ash	2	.60	.55	.61	.56	.62	.57	.65	.60
										
897	21" Folding Take Up Reel	42	24.11		24.31		24.58		25.26	
900	Heavy Barrow Reel	80	24.90		25.26		25.78		27.09	
901	Extra Guard Pins, set of 4	4	2.89		2.91		2.94		3.00	
										
902	Pay Out Reel	40	15.23		15.41		15.67		16.32	
										
2050	8' Digger—Split Hdles	13	7.59	6.90	7.67	6.97	7.76	7.06	8.00	7.29
										
2051	8' Diggers—2 Solid Hdles	14½	7.59	6.90	7.67	6.97	7.76	7.06	8.00	7.29

OSHKOSH FOLDING BARRICADE



Strong and solid. Quickly set up. The cross-rail is held like a piece of wood in a vise and works just as simply and easily. This allows the use of various thicknesses of wood. Not having or needing any teeth, the jaws do not chew up the wood cross-rails.

Easily and quickly folded into a small, compact bundle. Light weight. Stacks easily and safely. Takes up small space in truck.

Each handle is hollow and forms a flag socket. Lantern locks are fastened to each handle. Extension Swivel easily and quickly attached; it reduces the number of barricades needed and makes a firm, solid square if wanted.

Height	Width Bottom open	Size Folded	Weight per Pair	Finish	Price per Pair
32"	20 1/2" to 22 3/4"	3"x2"x35"	25 lbs.	Bright Orange	\$5.00
42"	25 " to 29 "	3"x2"x44"	32 lbs.	Enamel	5.60


Extension Swivel.

1.00 ea.

Wooden Cross Rails.

Price on Application.
F.O.B. Oshkosh, Wis.

OSHKOSH WARNING SIGN



The solid black 5 1/2" letters on the 20" x 20" background of brilliant traffic yellow flashes a signal which no driver can possibly miss.

It is light weight, yet extremely durable—the legs being made of 1/2" high carbon steel which will not bend. The 1 1/4" flange around the edge of the side of the sign not only acts as a reinforcement, but it also protects the lettering from becoming marred when being transported in the trucks.

Each sign is equipped with two convenient handles for adjusting the angle of the legs. These handles, being hollow, also serve as flag sockets. Each handle is also equipped with a handy lantern lock.

Height	Width	Weight Pounds	Size Folded	Color	Price
48"	28"	23	28"x28"x1 1/4"	Yellow and Black	\$5.30 Each

F.O.B. Oshkosh, Wis.

OSHKOSH METAL DANGER FLAG



Here is a REAL danger flag. Whether the wind is blowing or not, it is always completely open, flashing its signal of caution.


It is light and strong—being made of 16 Ga. steel welded to a 5/8" hollow iron staff. The flag is painted bright red and the staff black. Note the little peg hole near the top for conveniently hanging up in the truck.

The "Men Working" Sign and the "Oshkosh" Folding Barricade have handy sockets to accommodate this flag.


Size	Length Staff	Color	Weight	Price
12"x10"	20"	Red	3 lbs.	\$0.90 Each

F.O.B. Oshkosh, Wis.

OSHKOSH SAFETY LADDERS




Single
Ladder




Locking Device


The small upper closeup shows the locking device as it is when the ladder is being raised or lowered. The lower closeup shows it when supporting the extension. See the support across the entire rung. When extending the ladder, the locking device automatically lifts up to allow the rungs to pass; but, the instant the pull on the rope is completely released, the locking device falls into place. In order to lower the extension, the operator must give a slight pull on the rope and let it down slowly. It cannot come down fast.



Extension
Ladder
Straight
Side Rails



Extension
Ladder
Flared
Side Rails



Sectional
Ladder

Notice the safety features on the Oshkosh Ladder. One Price includes all and assembled right on the ladder.

CORRUGATED SAFETY RUBBER TIPS. Notice them at the top of the ladder. They prevent slipping or skidding sideways, marring of walls and act as an insulator.

SAFETY GUARDED PIKES. A thick spongy rubber guard completely covers the pike point and prevents anybody from getting hurt. However, when it is supporting the ladder, the rubber guard pushes back and the pike protrudes thru and firmly pierces the ground surface so that it is impossible for the ladder to slip.

SAFETY POLE GRIPPERS. These prevent the ladder from turning or slipping where it is used against a pole or tree.

MATERIAL. Side rails of strongest Spruce, straight grained and clear. Rungs of tough clear, straight grained Hickory. All metal work is Parkerized.

FINISH. All ladders finished with Oshkosh Pike Pole Finish. It is a tough, elastic transparent finish permitting inspection of the grain or wood. This finish prevents slivering.

SIZES: Full range of lengths in multiples of 2 feet. When determining price of ladder to be purchased, add for two additional feet over extended length desired to compensate for overlap on all ladders extending to 34 feet. For ladders over 34 feet extended length allow three additional feet for overlap. Each section is furnished in multiples of two feet. Ladders are invoiced on total footage purchased.

PRICE. Single Ladders—75c per foot including pikes, rubber tips, and finish.

Extension Ladders—87c per foot including all safety features.

Sectional Ladders—82c per foot.

Prices F. O. B. Oshkosh.